



ELSEVIER

Computational Statistics & Data Analysis 19(1995) 717-719

**COMPUTATIONAL
STATISTICS
& DATA ANALYSIS**

Author Index Volume 19 (1995)

(The issue number is given in front of page numbers.)

- G. Altmann**, *see* **P. Zörnig**
- J. Antoch** and **H. Ekblom**, Recursive robust regression computational aspects and comparison (2) 115-128
- P. Boček** and **P. Lachout**, Linear programming approach to LM-estimation (2) 129-134
- R.J. Bosch**, **Y. Ye** and **G.G. Woodworth**, A convergent algorithm for quantile regression with smoothing splines (6) 613-630
- K.-K. Chan**, *see* **L.-M. Liu**
- G.-H. Chang**, *see* **H. Mansouri**
- G. Chen**, Generalized log-normal distributions with reliability application** (3) 309-320
- M.R.B. Clarke**, *see* **E.J. Kontoghiorghe**
- D.R. Cox**, *see* **N. Wermuth**
- J. Ćwik** and **J. Mielniczuk**, Nonparametric rank discrimination method* (1) 59-74
- Z. Drezner**, Multirelation - a correlation among more than two variables* (3) 283-292
- J.L. du Plessis** and **A.J. van der Merwe**, A Bayesian approach to multivariate and conditional calibration* (5) 539-552
- H. Ekblom**, *see* **J. Antoch**
- R.W. Farebrother**, On hyperplanes of closest fit* (1) 53-58
- L. Ferré**, Selection of components in principal component analysis: A comparison of methods** (6) 669-682
- P.H. Franses**, The effects of seasonally adjusting a periodic autoregressive process** (6) 683-704
- K.A. Froeschl**, A formal model evaluation approach to the analysis of treatment effects in paired sample data (5) 493-518
- W.K. Fung**, A cautionary note on the use of generalized Cook-type measures** (3) 321-326
- W.A. Gale**, Cognition, computation, and formal systems: Some of Tomas Havranek's interests and disambiguating word senses (2) 135-148
- R.F. Gunst**, *see* **M.-S. Moon**
- P. Hájek**, **A. Sochorová** and **J. Zvárová**, GUHA for personal computers (2) 149-154
- W. Härdle** and **B.U. Park**, Testing increasing dispersion* (6) 641-654
- D.M. Hawkins**, Convergence of the feasible solution algorithm for least median of squares regression (5) 519-538
- I. Herranz Tejedor**, *see* **A. Martin Andres**

* Appeared in Section II

** Appeared in Section III

All others: Appeared in Section I

- S. Højsgaard and B. Thiesson**, BIFROST – Block recursive models Induced From Relevant knowledge, Observations, and Statistical Techniques (2) 155–176
- O. Hössjer**, Exact computation of the least trimmed squares estimate in simple linear regression (3) 265–282
- S. Huda, I.H. Khan and R. Mukerjee**, On optimal designs with restricted circular string property* (1) 75– 84
- R. Jiroušek and S. Přečil**, On the effective implementation of the iterative proportional fitting procedure (2) 177–190
- P. Jordan**, Estimation of tolerance limits from reference data* (6) 655–668
- I. H. Khan**, *see* S. Huda
- S.S. Kim and S.H. Park**, Dynamic plots for displaying the roles of variables and observations in regression model* (4) 401–418
- E.J. Kontoghiorghes and M.R.B. Clarke**, An alternative approach for the numerical solution of seemingly unrelated regression equations models* (4) 369–378
- W.J. Krzanowski**, Selection of variables, and assessment of their performance, in mixed-variable discriminant analysis** (4) 419–432
- P. Lachout**, *see* P. Bocek
- S.L. Lauritzen**, The EM algorithm for graphical association models with missing data (2) 191–202
- L.-M. Liu, K.-K. Chan, A.L. Montgomery and M.E. Muller**, A system-independent graphical user interface for statistical software (1) 23– 44
- H. Mansouri and G.-H. Chang**, A comparative study of some rank tests for interaction** (1) 85– 96
- A. Martín Andrés and I. Herranz Tejedor**, Is Fisher's exact test very conservative?** (5) 579–592
- J. Mielniczuk**, *see* J. Ćwik
- A.L. Montgomery**, *see* L.-M. Liu
- M.-S. Moon and R.F. Gunst**, Polynomial measurement error modeling (1) 1– 22
- R. Mukerjee**, *see* S. Huda
- M.E. Muller**, *see* L.-M. Liu
- A. Nagabhushanam**, *see* S.K. Panda
- J. Ocaña and E. Vegas**, Variance reduction for Bernoulli response variables in simulation (6) 631–640
- H. Onishi**, A user-knowledge-based variable selection method for limited information maximum likelihood using principal components* (4) 379–400
- S.K. Panda and A. Nagabhushanam**, Fuzzy data distortion* (5) 553–562
- S.H. Park**, *see* S.S. Kim
- B.U. Park**, *see* W. Härdle
- S. Přečil**, *see* R. Jiroušek
- A. Rizzi and M. Vichi**, Representation, synthesis, variability and data preprocessing of a three-way data set (2) 203–222
- H. Shore**, Fitting a distribution by the first two moments (partial and complete)* (5) 563–578
- D.M. Smith**, Iterative refinement of parameter estimates and residuals from a regression model fitted using QR decomposition methods** (3) 327–350
- A. Sochorová**, *see* P. Hájek
- B. Thiesson**, *see* S. Højsgaard
- A.J. van der Merwe**, *see* J.L. du Plessis
- E. vegas**, *see* J. Ocaña
- M. Vichi**, *see* A. Rizzi
- N. Wermuth and D.R. Cox**, Derived variables calculated from similar joint responses: some characteristics and examples (2) 223–234

G.G. Woodworth, *see* **R.J. Bosch**

B. Wu, Model-free forecasting for non-linear time series (with application to exchange rates)** (4) 433-460

Z. Yang, An algorithm for nonlinear L_1 curve-fitting based on the smooth approximation (1) 45- 52

Y. Ye, *see* **R.J. Bosch**

P. Zörnig and **G. Altmann**, Unified representation of Zipf distributions** (4) 461-474

J. Zvárová, *see* **P. Hájek**

